



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: G07C 15/00, A63F 3/08, 3/06	A1	(11) International Publication Number: WO 95/21425 (43) International Publication Date: 10 August 1995 (10.08.95)
(21) International Application Number: PCT/NL94/00033 (22) International Filing Date: 7 February 1994 (07.02.94) (71) Applicant (for all designated States except US): TOSSO B.V., I.O. [NL/NL]; Benoordenhoutseweg 249A, NL-2596 BH The Hague (NL). (72) Inventors; and (75) Inventors/Applicants (for US only): BRUIN, Wim [NL/NL]; Benoordenhoutseweg 249A, NL-2596 BH The Hague (NL). FRIETMAN, Edward, E., E. [NL/NL]; Ieplaan 65, NL- 2565 LG The Hague (NL). GROOTENS, Ton [NL/NL]; Van Speykstraat 69, NL-2518 EW The Hague (NL). (74) Agent: DE BRUIJN, Leendert, C.; Nederlandsch Octrooibu- reau, Scheveningseweg 82, P.O. Box 29720, NL-2502 LS The Hague (NL).		(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, GE, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report.

(54) Title: A GAME OF CHANCE**(57) Abstract**

The present invention is based on a game of chance wherein a player selects a combination of say (m) play symbols out of a collection of say (n) play symbols where $(m) \leq (n)$. A set of say (m) winning play symbols is randomly selected and next compared to the combination of say (m) play symbols chosen by the player. The by a player selected (m) play symbols are previously marked, registered and printed on a bet slip.

SUMMING UP
8 - OUT OF - 16 NUMBERS LOTTERY.
PLAY SLIP

Costs indicated by marked states.

SOLO

36	37	38	39	40	41	42	43
44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59
60	61	62	63	64	65	66	67
68	69	70	71	72	73	74	75
76	77	78	79	80	81	82	83
84	85	86	87	88	89	90	91
92	93	94	95	96	97	98	99
100							

JACKPOT 68

Select 2 out of 26 letters.

DUO

36/37	38/39	40/41	42/43
44/45	46/47	48/49	50/51
52/53	54/55	56/57	58/59
60/61	62/63	64/65	66/67
68/69	70/71	72/73	74/75
76/77	78/79	80/81	82/83
84/85	86/87	88/89	90/91
92/93	94/95	96/97	98/99
100/101			

QUATRO

36-39	40-43
44-47	48-51
52-55	56-59
60-63	64-67
68-71	72-75
76-79	80-83
84-87	88-91
92-95	96-99
100-103	

Players receipt.

Date: _____ Time: _____ Place: _____

Field: _____ UAC (Uniform Article Code)

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

A GAME OF CHANCE**TECHNICAL FIELD**

The invention relates to the field of games of chances and in particular, it relates to games of chances
5 where a player selects symbols and/or letters and/or a combination of symbols and letters that are
appointed later in a random drawing. Among the classes of games of chances are e.g. lotto and casino
games, horse- and car races.

BACKGROUND OF THE INVENTION

10

Traditionally, games of chances such as lotto and pick games have been played by randomly drawing
play symbols. The collection of play symbols could be numerals and/or letters and/or combinations of
the two.

Systems that determine winning play symbols are various: such as there are techniques to repeated-
15 ly drawing objects, like balls that display different numerals or letters, or dices that are thrown during
a play at a casino, or random chosen numerals or letters or combinations of the two that are displayed
on an indicator screen, or announcing winning numbers of horses or cars that won a race.

The word "player" in the description of this invention includes the notion "multiple players" as well.
It therefore suffices to use the notion "a or the player".

20 To play a pick (m) or pick (p) ($(m) \neq (p)$) game, a player first selects (m) or (p) numerals or letters or combinations
of the two. Drawings of the (m) numerals or letters or combinations of the two can be either
held off-line at a central location or displayed real-time on a large indicator screen during, for example,
a Television show, or announced during a play at a casino.

As one out of two examples of the "Summing Up 8-out of-16 numbers lottery" a system selecting (m)
25 play symbols by repeatedly drawing balls, that display different numerals, will be described. During a
game (n) balls are mixed in a mostly transparent rotating globe. The globe is connected to a mechanism
of (m) receptacles ($(m) \leq (n)$) that accept one ball at the time. After the first randomly selected ball
has fallen in the most right of (m) receptacles the mechanism will move up one place to the right. The
system is now ready to accept the next randomly chosen ball. This action continues until (m) shifts to
30 the right have been made. The sum of the set of (m) balls constitutes the winning number. If the num-

ber of the sum selected by the player is identical to the number of the sum (S) of the (m) numerals drawn from the globe, the player wins the game.

The amount of money won by a player, usually set for each game separately, is based on the probability of selecting the winning sum number (S) that is composed of the sum of (m) randomly chosen numerals and the total amount of money composed of the stakes of the wagers.

The second example of the "Summing Up 8-out of-16 numbers lottery" is dedicated to the work-out of two alternatives during which the winning sum (S) of (m) randomly chosen play symbols will be made public by using the television as a medium. In the two alternatives different kinds of play symbols will be merged.

10 The first alternative is completely related to a horse- or car-race, of which the course of the race is rurally broadcasted. The procedure at the race-course itself, here focused on a horse-race, is as follows. The names of (n) participating horses are announced previously. The in this example (n) numbers are yet randomly distributed among the horsemen just before the start of the race. The numbers of the first (m) $((m) \leq (n))$ incoming horses, out of a total of (n) participating horses, are illuminated on an indicator panel. The sum (S) of the first (m) horses constitutes the winning number.

A player wins the game if the number of the sum indicated on his bet slip coincides with the number of the sum (S) appointed by the (m) numerals of the (m) first incoming horses.

The procedure of the second alternative is identical to the one described above, except for the fact that only the first (q) $((q) < (m))$ numbers of the incoming horses out of a total of (n) participating horses are announced. The numbers of the first (q) $((q) < (m))$ incoming horses are illuminated on an indicator panel containing (n) separate to be illuminated indicators.

In order to be able to appoint a sum (S) out of (m) numerals, the remaining (m-q) numbers have to be obtained using different play symbols. The remaining (m-q) numbers can be either appointed by repeatedly drawing balls or by successively selecting (m-q) illuminating indicators in a random sequence out of an indicator panel containing (n) indicators. In both cases the to be selected numbers are different from the already announced (q) numerals of the first incoming horses, implying that the (q) known numerals are excluded from the drawings. Successively selecting the remaining (m-q) illuminating indicators in a random sequence out of an indicator panel containing (n) indicators could be part of a Television show that is locally attended by players as well as rurally broadcasted.

30 The "Summing Up 8-out of-16 numbers lottery" extends the invention with a chess-board like indica-

tor panel, in which the set of squares represents all possible sums (S) derived from the $\binom{n}{m}$ possible combinations. The complete collection of squares, representing all possible sums (S) derived from the $\binom{n}{m}$ combinations are illuminated at the very beginning of the game.

A method suitable for playing the "Summing Up 8-out of-16 numbers lottery" invention, indicating a sum of numbers by putting out the indicator or indicators that correspond(s) with a sum (S) or multiple sums (S) that cannot be composed any more given the first (r) ($1 \leq r \leq m$) randomly chosen numbers out of a total of (m) ($m \leq n$) randomly selected numerals, is proposed. The phenomenon thus demonstrates a putting out instead of a lighting up of indicators, which sequence is determined by the exclusions of possible sums (S). The final result demonstrates an indicator panel in which all indicators are put out except for one.

A player wins the game if the number of the sum indicated on his bet slip coincides with the only illuminated number at the indicator panel.

SUMMARY OF THE INVENTION

One of the objects of this invention is to provide a method of playing the "Summing Up 8-out of-16 numbers lottery" wherein a set of say (m) winning play symbols are first randomly selected from a collection of say (n) play symbols, after which the sum (S) is appointed. A play symbol is hereinafter defined as any type of symbol which can be used in a game of chance such as functional symbols (like indicia of articles of use), playing cards, numerals, letters and/or combinations of them all.

A priory a player selects a number or other play indicia which represents a combination of say (m) play symbols taken from the set of say (n) play symbols. After the player has selected the number or other play indicia a set of winning play symbols is randomly selected from a collection of play symbols by a drawing. Upon drawing of the winning play symbols, the player compares his bet which he selected to the winning play symbols to determine if he has won the game.

In case a winning combination of say (m) play symbols taken from the set of say (n) play symbols results in the drawing of the play symbol that proceeds from the combination of the maximum number of possibilities to compose (m) combinations of play symbols out of the set of say (n) play symbols, the game of chance requires an additional drawing of say (v) further play symbols taken from the set of say (w) further play symbols ($1 \leq v < w$) to decrease the chance of winning.

SUBSTITUTE SHEET

A second object of the present invention is the provision of a play slip wherein one or more play indicia representing combinations of possible play symbols to be drawn in a game are selected by a player. In one configuration of the invention where the play symbols are numerals, winning indicia which represent the sum(s) selected by a player of possible numbers to be drawn are marked, registered, dated, localised and printed on the play slip.

The play slip has at least one bet indicia to be marked by the player, registered by the State Government Institute and printed at a sales office indicating a number which represents a predetermined mathematically combination such as the sum of the winning numbers. In addition, time, place, date, selection of sum number(s) indicia are printed at the bottom of the play slip prior to the random selection of the winning numbers. A pay indicia indicating the total costs for the associated play (bet) indicia is also provided on the bet slip as well as an Uniform Article Code for classification and registration purposes.

A third object of the present invention is to provide a new criteria, presenting combinations of winning play symbols that can be solely the result of a horse-race match or a combination of a set of repeatedly drawing balls and the result of a horse-race match or a set of repeatedly drawing balls and the result of a horse-race match and the result of randomly illuminating indicators in an indicator panel.

The fourth object of the present invention is the provision of a game technique in which the results of winning play symbols are not indicated by lighting up the indicators in an indicator panel but just exploring the opposite phenomenon in which indicators are put out.

The fifth object of the present invention is the presentation of an innovative chess-board like indicator panel, representing a score-board where the results of the winning play symbols are indicated as squares of a chess-board.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram illustrating the method of playing the "Summing Up 8-out of-16 numbers lottery"; and

FIG. 2 is a plan view of the play slip of the present "Summing Up 8-out of-16 numbers" invention, marked with references 1, 2, ... 17 among which date 11, time 14, place 15, selected number(s) 12,

costs indicia labelled "Paid" 13 and an Uniform Article Code 17 to classify and register this particular play slip; and

FIG. 3 is a plan view of the present "Summing Up 8 -out of - 16 numbers" score board invention suitable for a. o. Casino and Television games marked with references 26, 27, ... 34; and

FIG. 4 is a plan view of the present "Summing Up 8 -out of - 16 numbers" score board invention marked with reference 35, illustrating the phenomenon to put out indicators to some extent according to an exclusion of numbers representing sum(s) of chosen numbers one through sixteen; and

FIG. 5 is a plan view of the present "Summing Up 8 -out of - 16 numbers" score board invention marked with reference 36, illustrating the phenomenon to completely put out all indicators except for one according to the exclusion of numbers representing sum(s) of chosen numbers one through sixteen; and

FIG. 6 is a plan view of the present "Summing Up 8 -out of - 16 numbers" score board invention marked with reference 37, illustrating the phenomenon that all indicators are put out according to the exclusion of numbers representing sum(s) of chosen numbers one through sixteen except for the number 68 expanded with the lighting up of three characters according to a selection of characters out of a total of twenty-six characters representing the complete alphabet; and

FIG. 7 is a block diagram illustrating a soft- and hardware method to light up the randomly selected numbers eight - out of -sixteen and to put out the sum(s) that are excluded from further participation.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 represents a conventional set-up of hardware systems to play the "Summing Up 8-out of-16 numbers lottery" according to an embodiment of the present invention. The block diagram in FIG. 1 shows a number of front end processors 1, 2, ... X, indicated by the numbers 19, 20 and 22, that are connected to a Central Site Host Computer 18 through a Local- [LAN] or Wide-Area-Network [WAN] 25. Any arbitrary number of front end processors X, placed at player's disposal to mark, date and register a selection of his appointed play symbols, can be provided by the State Government Institute or rural lottery commission depending upon such factors as location and frequency of use.

For the purpose of a detailed description of the "Summing Up 8-out of-16 numbers lottery", each front end processor 19, 20 and 22 illustrated in FIG. 1 directly corresponds to the architecture of member

20. At front end processors 1, 2, ... X a player lays a wager on the basis of his selection of one or multiple play symbols. Each front end processor 1, 2, ... and X, driven by a software algorithm that reads, classifies, characterises and prints the combination of indicia's indicated as 5 and/or 6 and/or 10 selected by the player, consists of a Terminal 21, an Optical Reader 23 and a Printer 24.

5 The player uses a play slip 1 which he inserts into the Optical Reader 23 to play the "Summing Up 8-out of-16 numbers lottery" lottery. After a connection has been made with the Central Site Host Computer 18 through the LAN or WAN connection 25, date, time, place, selection of play symbols, dues paid and an Uniform Article Code [UAC] are registered at the Central Site Host Computer 18. An exact replica of the date 11, time 14, place 15, selection of play symbols 12, dues paid 13 and Uni-
10 form Article Code 17, that is thus a priori registered and stored at the Central Site Host Computer 18, is locally made available to the player by providing him with a player receipt 16 that has been printed by the Printer 24.

In the embodiment of the invention illustrated in FIG. 2 a survey is first given of all the play symbols, here represented by numbers and letters, that can be selected at the play slip when playing the "Sum-
15 ming Up 8-out of-16 numbers lottery". The collection of the singular numbers (36, 37, ... 67, 69, ... 99, 100) labelled "SOLO" proceeds from a mathematical operation of the sum of the 8-out of-16 winning numbers. The number combinations indicated at the "DUO" and "QUATRO" section are derivatives of the singular numbers indicated at the "SOLO" section in that they respectively combine two (36/37 ... 66/67, 69/70 ... 99/100) and four (36-39, ... 64-67, 69-72 ... 97-100) of the adjoining numbers. In addi-
20 tion to the "SOLO", "DUO" and "QUATRO" collection is a "JACKPOT 68" section that combines a single number 68 with all the characters (A, B, C, ... Y, Z) of the alphabet.

The embodiment of the invention illustrated in FIG. 2 is used to explain the details of the rules of the "Summing Up 8-out of-16 numbers lottery". To play the "Summing Up 8-out of-16 numbers lottery" eight numbers are randomly drawn out of a total of sixteen. In the "SOLO" section the sum of respec-
25 tively the lowest numbers one-through-eight and the highest numbers nine-through-sixteen is calculated for 36 and 100. The numerals 36 and 100 are located diagonals-wise at the corners of the 8-by-8 matrix 4. In between the two extremes of 36 and 100 are sixty-three other numbers of increasing value (37, 38, ... 67, 69 ... 98, 99), the frequency of occurrence of each of the numbers is arranged according to a Gaussian distribution. The probability of occurrence of the number 68 is the
30 greatest. The twenty-six letters of the alphabet, surrounding the number 68, are joined to compensate

for the higher probability of occurrence of the numeral 68 with respect to all the other numbers.

After marking the box labelled "STAKE" 3, indicated at the upper left part of FIG. 2, the player checks one or multiple boxes 5 and/or 6 and/or 10 on his play slip 1. The numbers indicated at boxes 5 and/or boxes 6 and/or boxes 10 correspond respectively to the categories "SOLO" and/or "DUO" and/or "QUATRO". In case the player should decide to include "JACKPOT 68", the box labelled "STAKE" 8 at the right side of FIG. 2 should be marked also. In his selection to play "JACKPOT 68", the player additionally marks three letters 9 in a random sequence out of a total of twenty-six letters composing the alphabet. Explanatory text 2 and 7 explains the player the rules of the "Summing Up 8-out of-16 numbers lottery". It also assists in the appointment of the height of the stakes of his bets.

10 Next a notification of the selection out of boxes 5 and/or 6 and/or 10 and/or 9, marked by the player and indicated on the play slip 1 as player's bets, has to be registered at the State Government Institute and/or at the local sales offices. He therefore inserts his play slip 1 into the Optical Reader 23 of a front end processor 20 situated at either a local sales office or at the State Government Institute.

The information, concerning date 11, time 14, place 15, selection of play symbols 12, dues paid 13 and Uniform Article Code 17, is first stored in the main memory of the Central Site Host Computer 18. An exact replica of what has been sent to the Central Site Host Computer 18 is now provided to the player by printing the indicia in on the "PLAYER RECEIPT" 16 at the bottom of the play slip 1, using Printer 24.

Depending upon "SOLO" and/or "DUO" and/or "QUATRO" being played, a win always represents the 20 sum of eight randomly chosen winning numerals. The winning indicia are appointed by the collection of the singular numbers (36, 37, ... 67, 69, ... 99, 100) in the case of "SOLO" 5 and/or a combination of two numbers (36/37 ... 66/67, 69/70 ... 99/100) in the case of "DUO" 6 and/or a combination of four adjoining numbers (36-39, ... 64-67, 69-72 ... 97-100) in the case of "QUATRO" 10.

In the case of "JACKPOT 68" being played, a win is dependent upon the selection of the number 68 25 as the sum of the eight randomly chosen winning numerals, expanded with a selection of three randomly chosen winning letters 9 out of the twenty-six letters that composes the alphabet.

For the "Summing Up 8-out of-16 numbers lottery" results, the drawing of the eight randomly chosen numbers composing a sum of winning numerals eventually expanded with the drawing of three randomly chosen winning letters shall be announced during a live broadcast through Television.

30 Upon randomly drawing of the eight numerals, composing the winning sum, eventually expanded with

a set of three winning letters in case the winning sum is 68, the player compares the bet indicia on his play slip 1 to the combination of the winning numerals and/or letters as shall be announced during a life broadcast of the "Summing Up 8-out of-16 numbers lottery" game. If the player's bet matches the combination of winning numerals and/or letters, the player wins an amount of money indicated in pay-indicia by the State Government Institute and he then can redeem the play combination slip for payment of the specified amount.

In the embodiment of an extension of the invention illustrated in FIG. 3, a "Summing Up 8-out of-16 numbers" score board 26 is presented that can be exploited in e.g. casino games and Television shows. The score-board 26 is composed of:

- 10 a set 28 of mathematical numerals (36, 37, ... 66, 67, 69, ... 99, 100) obtained by summing up eight randomly chosen numbers that are individually indicated in boxes 29,
- a collection of sixty-four numbers 28 representing all possible sums that can be composed out of $\binom{16}{8}$ combinations,
- a set 31 of sixteen squares representing the sixteen numerals out of which eight numbers 29
15 are randomly chosen,
- a set 31 containing one square 30 in the middle labelled "TOTAL" in which the in between results of an addition of a set of numbers 29 is represented discharging into a final sum being one of the numbers 28,
- a collection 32 labelled "JACKPOT" that integrates one single number 33, coinciding with
20 the sum of eight numbers equalling the numeral 68, with
- a set 34 of twenty-six squares, grouped around the numeral 68, representing the letters of the alphabet out of which three letters are randomly drawn.

Summing up the lowest eight numbers one through eight executes a sum of 36, while adding up the eight higher numbers nine through sixteen results in a sum of 100. Both diagonals-wise oriented num-
25 bers 36 and 100 are members of the set 28 of mathematical obtained numerals (36, 37, ... 66, 67, 69, ... 99, 100).

An example will be worked out where the results of a horse-race are assimilated in the "Summing Up 8-out of-16 numbers lottery" during a life broadcasted Television show. The procedure in this hypothetical arranged situation is then as follows. Suppose the first four incoming horses 9, 7, 4 and 8 out
30 of a field of sixteen are nominated as the winners. Upon receiving the broadcasted numbers 9, 7, 4

and 8 from the horse-track the bulbs 51 behind the squares 29, of which the numbers correspond with the numbers of the four winning horses 9, 7, 4 and 8, are kindled.

A few seconds later the bulb behind box 30 labelled "TOTAL" lights up, indicating the in between times acquired sum of the numbers 9, 7, 4 and 8 equals 28. Simultaneously the contents of an unique
5 computed look-up table previously stored in a Programmable Read Only Memory [PROM] of a PC is searched for the collection of sums that cannot exist any more given the four numbers 9, 7, 4 and 8. Sums that are definitely excluded, given the cluster of four winning numbers 9, 7, 4 and 8, are the following: 36, 37, 38, 41, 87 through 100. The result of the work-out of this example 35, embodying this invention is shown in FIG. 4.

10 The phenomenon of lighting up the in this specific example remaining four randomly chosen squares 29 at the same time putting out the bulbs behind the boxes 28 continues until only one bulb 50 behind the boxes 28, corresponding to the only possible sum left given a total of eight winning numbers, remains lighted. Suppose the next four randomly chosen numerals 2, 5, 3 and 6 (descended from a Random Number Generator 44) out of the twelve remaining numerals 1 through 3, 5 and 6, 10 through
15 16 are nominated the winning numbers. Upon processing the numbers 2, 5, 3 and 6 the bulbs 51 behind the squares 29, of which the numbers correspond with the numbers of the four winning numerals 2, 5, 3 and 6, are kindled. A few seconds later the numeral indicated in the box 30 labelled "TOTAL" alters, indicating the sum of the numbers 9, 7, 4, 8, 2, 5, 3 and 6 equals 44. Simultaneously the contents of the look-up table previously stored in the Programmable Read Only Memory is searched and interrogated for the only possible sum that can exist given the eight numbers 9, 7, 4, 8, 2, 5,
20 3 and 6. Sums that are now excluded, given the cluster of eight winning numbers 9, 7, 4, 8, 2, 5, 3 and 6, are: 36 through 43 and 45 through 100. The result of the work-out of this example 36, embodying this invention, is shown in FIG. 5.

The essence of this part of the invention is thus the putting out of bulbs 50 behind boxes 28 that correspond to sums that are excluded given an arbitrary drawn of seven out of sixteen numerals, except
25 for the one bulb 28 that corresponds to an unique sum given a total of eight winning numbers out of a total of sixteen numerals.

As a counterpart of the previously elucidated procedure during which bulbs behind boxes 28 are put out according to a random processed sequence of a total of eight numerals that are summed afterwards, the scheme of the part "JACKPOT" 32, however, passes off in a total different way. According
30

to the philosophy of the embodiment of this invention the bulb 53 behind the number 68 is also put out the moment the sum 68 is excluded from winning due to a certain combination of numbers drawn. As a consequence the complete box 32 has become invisible.

In case the sum of the eight randomly chosen numbers equals 68 the bulb 53 behind the number 68 is periodically flashed on and off. The procedure now continues with a random draw of three letters 34, the result of which is expressed by lighting up bulbs 53 behind the corresponding boxes 34 of the characters B, I and R. The result of the work-out of this example 37, embodying this invention, is shown in FIG. 6.

The essence of this part of the invention is thus the flashing on and off of the bulb 53 behind box 33 followed by lighting up the bulbs 53 behind the three boxes 34 representing the choice of three randomly chosen letters B, I and R. out of a total of twenty-six letters of the alphabet A through Z in case the sum is 68.

A brief description will be given of a further extension of the embodiment of the invention on the basis of an illustration of the block diagram shown in FIG. 7. In order to be able to maintain integrity of the "Summing Up 8-out of-16 numbers lottery" game on the one hand, at the same time warranting the reliability of a system suitable to allow live broadcasting of a Television show, a software module 38, performing "Functions 40 through 49" is proposed. The description of the process is again based on the example worked out previously in which first the four winning horses 9, 7, 4 and 8 are nominated followed by the results 2, 5, 3 and 6 of the four randomly drawn numerals.

At the start it is assumed that all the bulbs 50 behind squares 28 and the bulb 53 behind square 33 are lighted up. The remaining bulbs 51, 52 and 53 behind respectively the squares 29, 30 and 34 are all extinguished.

After the race has been finished, the last five minutes of the scene of the horse-race are broadcasted and received by an antenna 39 located at the site of a Television studio. After having pre-processed the signal, the received information is directed towards the "DATA DECODER 43". The decoded result -in this case the winning numbers 9, 7, 4 and 8 -, produced by the "DATA DECODER 43", is offered to the "DATA BUFFER 42" as well as to the "ADDER 46".

It is further assumed, in conformity with the work-out of the example, that the four randomly chosen numerals 2, 5, 3 and 6 (produced by the "RANDOM NUMBER GENERATOR 44") are next nominated as the last four winning numbers in this specific example. The numbers 2, 5, 3 and 6 are also offered

to the "DATA BUFFER 42" as well as to the "ADDER 46". The combined "DATA BUFFER 42" result, containing the numerals 9, 7, 4, 8, 2, 5, 3 and 6, is now available for searching, interrogating, comparing and masking purposes in the "COMPARAND AND MASK REGISTER 47".

The outputs of the "COMPARAND AND MASK REGISTER 47" are linked to the "DATA BUFFER & BULB DRIVER 49". The results, after being stored in the "DATA BUFFER" section of the "DATA BUFFER & BULB DRIVER 49" are now available for the "BULB DRIVER" section to individually manipulate the putting out of clusters of the sixty-four bulbs 50 behind the squares 28 and in case of relevance also the bulb 53 behind square 33. This occurs in conformity with a software protocol that is executed to exclude sums according to numbers that are offered. The software program itself is written in a mixture of C (C: a compiler, in the case considered: Turbo C) and Assembler. The purpose hereof is to maintain processing speed during the work-out of the probabilities of occurrence of the various combinations of winning numbers with respect to their corresponding exclusion of sum(s).

The same procedure is performed on the output of the "ADDER 46", representing the sum of the four winning numbers 9, 7, 4 and 8 of the horse-race *and* the four remaining randomly chosen numbers 2, 5, 3 and 6 from the "RANDOM NUMBER GENERATOR 44", the result of which is stored and further used to indicate the value of the in between achieved sum and to light up bulb 52 behind square 30 labelled "TOTAL". The result of the outputs of the "DATA BUFFER 42", composed of the overall winning numbers 9, 7, 4, and 8 and 2, 5, 3 and 6, is first feed to the "DATA BUFFER & BULB DRIVER 49" and subsequently used to kindle the in this case corresponding eight bulbs 51 behind squares 29. In the special case in which the final sum is appointed to be 68, a result 48 from the "COMPARAND AND MASK REGISTER 47" is used to enable the "3 OUT OF 26 DECODER 45". Driven by the "RANDOM NUMBER GENERATOR 44" it starts a random sequence during which three out of twenty-six characters are selected. The results, here corresponding with the randomly selected three characters B, I and R, expanded with an acknowledgement that the best out of eight selection has appointed the sum 68, are fed to the four corresponding bulbs 53 behind squares 33 and 34.

Timing to initiate and control the process of appointing the winning numbers and/or letters on the one hand and excluding sum(s) on the other, is synchronised by the commands of the "PROGRAM SEQUENCER 41". The "PROGRAM SEQUENCER 41" is used to initiate multiple activities, like synchronising the incoming information from the "ANTENNA 39" with the processes in the "SOFTWARE MODULE 38", writing data out of the "DATA DECODER 43", fetching data from the "LOOK-UP TABLE

40", enabling and disabling the processes of the "3 OUT OF 26 DECODER 45", clocking data from the "LOOK-UP TABLE 40" and the "DATA BUFFER 42" into the "COMPARAND AND MASK REGISTER 47", continuing search, compare and mask procedures in the "COMPARAND AND MASK REGISTER 47" to exclude combinations of sum(s) according to the winning numbers and/or letters and finally directing the overall results towards the "DATA BUFFER & BULB DRIVER 49".

In a global description of the basic principles it is assumed that all possible combinations, originating from the eight-out of-sixteen selections completed with their individual appointed exclusions of sum(s) and the in between times achieved values of the numbers of sum(s) left, are calculated previously. Once calculated, controlled and statistically checked, the file containing all the results will be stored in the form of a "LOOK-UP TABLE 40" in a Programmable Read Only Memory in the Software Module 38. An elaboration of the process of selection and exclusion is elucidated in the following described Processing Scheme.

The previously worked out example of the four winning numbers 9, 7, 4 and 8 of the horse-race completed with the four randomly drawn numbers 2, 5, 3 and 6 from the "RANDOM NUMBER GENERATOR 44" will officiate as a basis for a more detailed description. The sense of the column, labelled "NUMBERS 1 THROUGH 16" is replaced by a representation of bits "1 through 16" for ease of explanation.

In the Processing Scheme shown, the symbols "◊", "⬤" and "•" have the following significance. "◊" guarantees transparency. Transparency here implies a situation in which the "◊" labelled bits are still available for selection in the next draw during which another randomly chosen winning number has to be selected.

"⬤", representing its counterpart - untransparency -, indicates bit positions that have been appointed during the sequence of a previous draw. After memorising and storing the bit pattern, performed and composed in the "COMPARAND AND MASK REGISTER 47", the function of the bits corresponding with the positions of "⬤" - untransparency - will pass into another status "•" - a don't care situation. The significance of a composition of such a bit mask pattern, wherein writing of a bit in the positions that are indicated by the symbol "•" has become superfluous, is to enable a fast search procedure on the basis of ignoring the bits that are already indicated by the symbol "•".

The moment any arbitrary combination of numbers, varying from at least one to at the most eight, is offered to be classified in terms of exclusions of sum(s) a built-in software protocol initiates a search

ching, comparing and selecting procedure by interrogating the contents of the "LOOK-UP TABLE 40" that was stored in the Programmable Read Only Memory in the "SOFTWARE MODULE 38".

A software mask is generated, each time one or multiple winning number(s) are drawn.

PROCESSING SCHEME

	NUMBERS 1 THROUGH 16	REMAIN-	NUMBERS OF SUMS ING SUMSTHAT ARE EXCLUDED	COMPARE & MASK PROTOCOL
5	DRAW 8, 7, 4, 8 ...x...xx x.....	47	36 37 38 •• 41 •••••••• •••••••••••••••• •••••••••••••••• 87 88 89 90 91 92 93 94 95 96 97 98 99 100	0000000000000000 memorise, mask 1 and store 0000000000000000
10	DRAW 2 ..x.....	35	36 37 38 •• 41 • 43 •••••••• •••••••••••••••• ••••• 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	0000000000000000 memorise, mask 2 and store 0000000000000000
15	DRAW 5 ...x... ..	24	36 37 38 • 40 41 • 43 • 45 •••• •••••••••••••••• 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	0000000000000000 memorise, mask 3 and store 0000000000000000
20	DRAW 3 ..x.....	9	36 37 38 • 40 41 44 43 • 45 46 47 ••••••• 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	0000000000000000 memorise, mask 4 and store 0000000000000000
25	DRAW 6x.. ..	1	36 37 38 39 40 41 44 43 X 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	0000000000000000

25

The contents of the "LOOK-UP TABLE 40" consists of three columns containing data of all possible combinations of an eight -out of- sixteen bit selection (the "NUMBERS 1 THROUGH 16" column), the matching results shown in the "REMAINING SUM(S)", column and an array of numbers representing all the "NUMBERS OF SUM(S) THAT ARE EXCLUDED". The various compare and mask patterns are shown in the most right column, labelled "COMPARE AND MASK PROTOCOL". Each unique bit

pattern, representing a combination out of the "NUMBERS OF SUM(S) THAT ARE EXCLUDED", is then used for further searching and masking purposes.

The very first initiative, shown under the header "DRAW 9, 7, 4, 8" of the Processing Scheme, is to start up the procedure to characterise and classify the participating bits "...x...x x x..."; here represented by the winning numbers of the four first incoming horses. Next a bit pattern "0 0 0 1 0 0 1 1 0 0 0 0 0 0 0", representing the positions of the first four winning numbers 9, 7, 4 and 8, is generated by the "DATA BUFFER 42". This pattern together with the read-out of the contents of the "LOOK-UP TABLE 40" is offered to the "COMPARAND AND MASK REGISTER 47". During execution of the software program all the combinations stored in the column "NUMBERS 1 THROUGH 16" are compared with the bit pattern "0 0 0 1 0 0 1 1 0 0 0 0 0 0 0". Matching of the two data streams results in an array of sum(s), the values of which are further excluded from participation. These values are shown in the column "NUMBERS OF SUMS THAT ARE EXCLUDED". A new bit mask pattern "0 0 0 0 0 0 0 0 0 0 0 0 0 0 0", indicating both remaining transparencies "0" and don't cares "•", originates. This bit pattern shown in the column labelled "COMPARE AND MASK PROTOCOL", is memorised and stored in the "COMPARAND AND MASK REGISTER 47" to function as a software mask for the next processing step.

The purpose of the generation of such a bit mask pattern is multiple: it makes the search for the bits 9, 7, 4 and 8 superfluous in the next processing step and it associates the specific combination 9, 7, 4 and 8 with the corresponding values of the previously calculated sum(s). These sum(s) are now excluded from further contribution. The numerals of the sum(s) that are excluded are listed in the third column, labelled "NUMBERS OF SUMS THAT ARE EXCLUDED". Also indicated in the second column is a number for the remaining sum(s): in this case: 47.

The next step is to integrate and compare the results “0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0” of the second drawing, labelled “DRAW 2”, with the previously composed bit mask pattern “0 0 0 • 0 0 • • • 0 0 0 0 0 0 0”. The actual search time is now shorter because of the fact that the numbers 9, 7, 4 and 8 do not contribute any more and thus do not influence a search for their respective positions. This is a direct consequence of the influence of the don't care (“•”) bits. There are 35 sum(s) left (see column 2) and it is obvious that the amount of sum(s) that are now excluded do increase. A new bit mask “0 • 0 • 0 0 0 • • • 0 0 0 0 0 0 0” originates.

30 The execution of the software protocol proceeds until (in the case of this specific example) the bit

15

mask pattern "♦ • • • ♦ • • • ♦ ♦ ♦ ♦ ♦ ♦", resulting from the fourth drawing, labelled "DRAW 3", is reached. There are yet 9 sums left and the number of the to be compared bits has now decreased to one. It is shown in the overview of the "NUMBERS OF SUMS THAT ARE EXCLUDED" column, that the only sum left (X) is 44.

- 5 In case it occurs that the processing time of the overall software protocol is not neglectful any more with respect to the time intervals of the different play moments in a Television show, a "Special Purpose Hardware System" has to be designed. The task of this "Special Purpose Hardware System", supporting a functionality that is identical to that of the 'SOFTWARE MODULE 38' is twofold. It speeds up the tracking, analysing and processing activities to search, interrogate, compare and mask
- 10 the contents of the "LOOK-UP TABLE 40". It directly relates the result of any eight -out of- sixteen combination with the corresponding sums that are further excluded from contribution.

The features of this "Special Purpose Hardware System" shall not be discussed.

15

20

25

30

CLAIMS

1. A method of playing a game of chance, wherein a plurality of winning play symbols (m) are randomly

drawn from a set of play symbols (n), the method comprising the steps of:

each player selecting at least one stake indicia, each stake indicia representing a predeter-

mined collection of one or more combinations of singular play symbols (n);

randomly drawing a group of winning play symbols (m) from a first set of play symbols (n);

and

each player comparing said combination of said winning play symbols (m) to the selected

stake indicia; and

wherein the method comprising the further steps of:

a player selecting a further stake indicia representing a further combination of a possible

combination of singular play symbols being not used for the said at least one stake indicia

and a predetermined collection of further play symbols (n);

randomly drawing a further play symbol from a second set of further play symbols; and

each player having selected said further stake indicia, comparing the said further combina-

tion of said winning play symbols to the selected stake indicia.

2. The method of claim 1, wherein said combination not used for the said at least one stake indicia has

the highest probability of being drawn.

3. The method of claim 1 or 2, wherein said singular play symbols are numbers and said further play

symbols are letters.

4. A method of playing a game of chance, wherein a plurality of winning play symbols (m) are taken

from a set of play symbols (n), the method comprising the steps of:

each player selecting at least one stake indicia, each stake indicia representing a predeter-

mined collection of one or more combinations of singular play symbols (n);

taking a group of winning play symbols (m) from a first set of play symbols (n); and

each player comparing said combination of said winning play symbols (m) to the selected

stake indicia; and

wherein the method comprising the further steps of:

a player selecting a further stake indicia representing a further combination of a possible combination of singular play symbols being not used for the said at least one stake indicia and a predetermined collection of further play symbols (n);

taking a further play symbol from a second set of further play symbols: and

each player having selected said further stake indicia, comparing the said further combination of said winning play symbols to the selected stake indicia and wherein the play symbols are the numbers of the participants of a race and the winning play symbols are the winning numbers.

10

5. The method of claim 4, wherein said combination not used for the said at least one stake indicia has the highest probability of winning.

6. The method of claim 4 or 5, wherein said further play symbols are letters and a further play symbol is randomly drawn from the set of further play symbols.

15

7. A play slip to be used in playing a game of chance, wherein a plurality of winning play symbols (m) are taken from a set of play symbols (n), comprising at least one stake indicia, each stake indicia representing a predetermined collection of one or more combinations of play symbols (n), said one or more combinations are associated to respective boxes printed on the play slip and selectable by a player and comprising a further stake indicia representing a further combination of a possible combination of play symbols being not used for the said at least one stake indicia and a predetermined collection of further play symbols (n) associated to boxes printed on the play slip and selectable by a player.

20

25

8. The play slip of claim 7, wherein said combination not used for the said at least one stake indicia has the highest probability of being taken.

9. The play slip of claim 7, wherein said play symbols are numbers and said further play symbols are letters.

30

10. A play slip to be used in playing a game of chance, wherein a plurality of winning play symbols (m) are taken from a set of play symbols (n), comprising at least one stake indicia, each stake indicia representing a predetermined collection of one or more combinations of play symbols (n), said one or more combinations are associated to respective boxes printed on the play slip and selectable by a player and comprising a further stake indicia representing a further combination of a possible combination of play symbols being not used for the said at least one stake indicia and a predetermined collection of further play symbols (n) associated to boxes printed on the play slip and selectable by a player, wherein said combination not used for the said at least one stake indicia has the highest probability of being taken and wherein said play symbols are numbers and said further play symbols are letters.

11. The play slip of claim 7 or 8, wherein the plurality of winning play symbols are randomly drawn from the set of play symbols and one further winning play symbol is randomly drawn from the further play symbols.

12. The play slip of claim 7 or 8, wherein the play symbols are the numbers of the participants of a race and the winning play symbols are the winning numbers.

13. The play slip of claim 7 or 9, wherein the plurality of winning play symbols are randomly drawn from the set of play symbols and one further winning play symbol is randomly drawn from the further play symbols.

14. The play slip of claim 7 or 9, wherein the play symbols are the numbers of the participants of a race and the winning play symbols are the winning numbers.

15. The play slip of claim 10, wherein said play symbols are numbers and said further play symbols are letters and wherein the plurality of winning play symbols are randomly drawn from the set of play symbols and one further winning play symbol is randomly drawn from the further play symbols.

16. The play slip of claim 10, wherein the play symbols are the numbers of the participants of a race and the winning play symbols are the winning numbers.

17. The play slip of claim 7, 8 or 9, wherein the slip comprises time indicia representing a time prior to the taking of said winning symbols; date indicia representing a date prior to the taking of said winning play symbols; place indicia indicating the place where the play slip has been offered prior to the taking of said winning symbols; selection indicia indicating play symbols and or the combination of play symbols prior to the taking of said winning play symbols; dues paid indicia indicating the costs, the amount of which is appointed by the selection of at least one stake indicia and the boxes marked; and Uniform Article Code (UAC) indicia classifying the above mentioned indicia prior to the taking of said winning play symbols.

18. The play slip of claim 10, wherein the slip comprises time indicia representing a time prior to the taking of said winning symbols; date indicia representing a date prior to the taking of said winning play symbols; place indicia indicating the place where the play slip has been offered prior to the taking of said winning symbols; selection indicia indicating play symbols and or the combination of play symbols prior to the taking of said winning play symbols; dues paid indicia indicating the costs, the amount of which is appointed by the selection of at least one stake indicia and the boxes marked; and Uniform Article Code (UAC) indicia classifying the above mentioned indicia prior to the taking of said winning play symbols.

19. The play slip of claim 7, 8 or 9, wherein the play symbols are the numbers of the participants of a race and the winning play symbols are the winning numbers; wherein the slip comprises time indicia representing a time prior to the taking of said winning symbols; date indicia representing a date prior to the taking of said winning play symbols; place indicia indicating the place where the play slip has been offered prior to the taking of said winning symbols; selection indicia indicating play symbols and or the combination of play symbols prior to the taking of said winning play symbols; dues paid indicia indicating the costs, the amount of which is appointed by the selection of at least one stake indicia and the boxes marked; and Uniform Article Code (UAC) indicia classifying the above mentioned indicia prior to the

taking of said winning play symbols.

20. The play slip of claim 7, 8 or 9, wherein the plurality of winning play symbols are randomly drawn from the set of play symbols and one further winning play symbol is randomly drawn from the further play symbols; wherein the slip comprises time indicia representing a time prior to the drawing of said winning symbols; date indicia representing a date prior to the drawing of said winning play symbols; place indicia indicating the place where the play slip has been offered prior to the drawing of said winning symbols; selection indicia indicating play symbols and or the combination of play symbols prior to the drawing of said winning play symbols; dues paid indicia indicating the costs, the amount of which is appointed by the selection of at least one stake indicia and the boxes marked; and Uniform Article Code (UAC) indicia classifying the above mentioned indicia prior to the drawing of said winning play symbols.

21. The play slip of claim 10, wherein the plurality of winning play symbols are randomly drawn from the set of play symbols and one further winning play symbol is randomly drawn from the further play symbols and wherein the slip comprises time indicia representing a time prior to the drawing of said winning symbols; date indicia representing a date prior to the drawing of said winning play symbols; place indicia indicating the place where the play slip has been offered prior to the drawing of said winning symbols; selection indicia indicating play symbols and or the combination of play symbols prior to the drawing of said winning play symbols; dues paid indicia indicating the costs, the amount of which is appointed by the selection of at least one stake indicia and the boxes marked; and Uniform Article Code (UAC) indicia classifying the abovementioned indicia prior to the drawing of said winning play symbols.

22. The play slip of claim 10, wherein the play symbols are the numbers of the participants of a race and the winning play symbols are the winning numbers and wherein the slip comprises time indicia representing a time prior to the taking of said winning symbols; date indicia representing a date prior to the taking of said winning play symbols; place indicia indicating the

place where the play slip has been offered prior to the taking of said winning symbols; selection indicia indicating play symbols and or the combination of play symbols prior to the taking of said winning play symbols; dues paid indicia indicating the costs, the amount of which is appointed by the selection of at least one stake indicia and the boxes marked; and Uniform Article Code (UAC) indicia classifying the above mentioned indicia prior to the taking of said winning play symbols.

23. A score board to be used in playing a game of chance, wherein a plurality of winning play symbols are randomly drawn from a set of play symbols (n), comprising a first field having positions associated to a combination of possible groups of winning play symbols except at least one possible group; second fields having a position associated to the excluded groups and positions associated to further play symbols; and means for indicating the winning group of play symbols.

24. The score board of claim 23, wherein the excluded at least one group of winning play symbols has the highest probability of being drawn.

25. The score board of claim 23, wherein the play symbols relating to the first field are numbers and the further play symbols are letters.

26. A score board to be used in playing a game of chance, wherein a plurality of winning play symbols are randomly drawn from a set of play symbols (n), comprising a first field having positions associated to a combination of possible groups of winning play symbols except at least one possible group; second fields having a position associated to the excluded groups and positions associated to further play symbols; and means for indicating the winning group of play symbols, wherein the excluded at least one group of winning play symbols has the highest probability of being drawn and wherein the play symbols relating to the first field are numbers and the further play symbols are letters.

27. A score board to be used in playing a game of chance, wherein a plurality of winning play symbols

are taken from a set of play symbols (n), comprising a first field having positions associated to a combination of possible groups of winning play symbols except at least one possible group; second fields having a position associated to the excluded groups and positions associated to further play symbols; and means for indicating the winning group of play symbols and wherein the play symbols are the numbers of the participants of a race and the winning symbols are the winning numbers.

28. The score board of claim 27, wherein the excluded at least one group of winning play symbols has the highest probability of being taken.

29. The score board of claim 27, wherein the play symbols relating to the first field are numbers and the further play symbols are letters.

30. A score board to be used in playing a game of chance, wherein a plurality of winning play symbols are taken from a set of play symbols (n), comprising a first field having positions associated to a combination of possible groups of winning play symbols except at least one possible group; second fields having a position associated to the excluded groups and positions associated to further play symbols; and means for indicating the winning group of play symbols and wherein the play symbols are the numbers of the participants of a race and the winning symbols are the winning numbers, wherein the excluded at least one group of winning play symbols has the highest probability of being taken, and wherein the play symbols relating to the first field are numbers and the further play symbols are letters.

31. The score board of one of the claims 23-29, wherein the indicating means comprises means for lighting up a winning group indication in the respective position in the first or second field and a winning further play symbol indication in the respective position of the second field.

32. The score board of one of the claims 23-29, wherein the indicating means comprises means for lighting up all of the group indications in the respective positions of the first and second field and the further play symbol indications in the second field before taking or drawing the win-

ning symbols and for switching off the non-possible group indications after each taking or drawing of a winning symbol.

33. The score board of claim 32, wherein the means for lighting up and switching off the group and further symbol indications comprises:

- means for recognising the status of the play symbols according to a draw or taking of a group of winning play symbols from the set of play symbols;
- means for appointing correlations between combinations of play symbols according to a draw or taking of a group of winning symbols from the set of play symbols;
- means for executing a software program on play symbols according to a draw or taking of a group of winning play symbols from the set of play symbols, resulting in the exclusion of groups and further symbols.

34. The score board of any of the preceding claims, wherein a third field is provided for lighting up the winning symbols and/or a combination thereof.

35. The score board of any of the preceding claims, wherein the lighting up of at least the winning group indication and/or winning further symbol indication is in a flashing way.

36. The process of selection and exclusion of play symbols of the score board for playing a "Summing Up 8-out of-16 numbers" Television game wherein a plurality of winning play symbols (m) are randomly drawn from a set of play symbols (n), selecting and excluding play symbols comprising the steps of:

- recognising the status of the play symbols according to a random draw of a group of winning play symbols (m) from the set of play symbols (n), said here aggravated to the numbers 1 through 16; and
- appointing correlation's between combinations of play symbols according to a random draw of a group of winning play symbols (m) from the set of play symbols (n), said here aggravated to the numbers 1 through 16; and play symbols representing sums of winning play symbols, said here aggravated to the numerals 36 through 100; and

- executing a software program on play symbols according to a random draw of a group of winning play symbols (m) from the set of play symbols (n), said here aggravated to the numbers **1** through **16**; the result of which said the exclusion of sums of winning play symbols; and/or
- executing a software program on play symbols according to a random draw of a group of winning play symbols (m) from the set of play symbols (n), said here aggravated to the numbers **1** through **16**; the result of which said the exclusion of sums of winning play symbols.

10

15


20

25

30

Fig.1

1/5



2/5

Fig.2

SUMMING UP
8 - OUT OF - 16 NUMBERS LOTTERY.
PLAY SLIP

Costs indicated by marked stakes.

STAKE

SOLO

36	37	38	39	40	41	42	43
44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59
60	61	62	63	64	65	66	67
69	70	71	72	73	74	75	76
77	78	79	80	81	82	83	84
85	86	87	88	89	90	91	92
93	94	95	96	97	98	99	100

JACKPOT 68

Select 3 - out of - 26 letters.

68

DUO

36/37	38/39	40/41	42/43
44/45	46/47	48/49	50/51
52/53	54/55	56/57	58/59
60/61	62/63	64/65	66/67
69/70	71/72	73/74	75/76
77/78	78/80	81/82	83/84
85/86	87/88	89/90	91/92
93/94	95/96	97/98	99/100

QUATRO

36-39	40-43
44-47	48-51
52-55	56-59
60-63	64-67
69-72	73-76
77-80	81-84
85-88	89-92
93-96	97-100

Players receipt.


Date: _____ Time: _____ Place: _____

Paid: _____ UAC (Uniform Article Code) _____

SUBSTITUTE SHEET

Fig.3

3/5



4/5




Fig.4




Fig.5





Fig.6

5/5

Fig.7



INTERNATIONAL SEARCH REPORT

International Application No
PCT/NL 94/00033

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 G07C15/00 A63F3/08 A63F3/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G07C A63F G07F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US,A,5 106 089 (M.W. WOOD) 21 April 1992 see the whole document ---	1,3,4,7, 9-11,13, 15,17-22
A	GB,A,1 428 157 (C.L. ELDER) 17 March 1976 see the whole document ---	1-36
A	GB,A,2 256 519 (NATIONWIDE LOTTERIES) 9 December 1992 ---	
A	US,A,4 842 278 (V. MARKOWICZ) 27 June 1989 ---	
A	US,A,5 269 523 (E.B. BOYLAN) 14 December 1993 -----	

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "B" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"A" document member of the same patent family

Date of the actual completion of the international search

27 October 1994

Date of mailing of the international search report

- 8. 11. 94

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

David, J

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/NL 94/00033

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-5106089	21-04-92	NONE	
GB-A-1428157	17-03-76	NONE	
GB-A-2256519	09-12-92	NONE	
US-A-4842278	27-06-89	NONE	
US-A-5269523	14-12-93	NONE	